

### **Features**

- Built-in 100v/70v transformer
- In-wall or in-ceiling type loudspeaker
- 8" speaker unit
- Power taps 1.87W, 3.75W, 7.5W & 15W @100V
- Metal grille and ABS baffle
- Paint in white color
- Metal back can is optional
- Flush mount easy and secure installation
- Crossover is optional
- Coaxial driver unit could be optional



The T-582 is an in-wall speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.



The built-in 8" speaker driver is designed of wide frequency response 80-20kHz, the multiple power taps 1.87W, 3.75W, 7.5W & 15W are helpful for different applications varies from room size and ambient noise surroundings. The metal grille and ABS baffle are painted in attractive white color. Its flush mount ears make the easy and secure installation.

It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.

### **Specification**

Model	T-582
Power Taps @100V	1.87W, 3.75W, 7.5W, 15W
Power Taps @70V	0.93W, 1.87W, 3.75W, 7.5W
Impedance	Black: Com Blue:5.3KΩ Red:2.6KΩ
	Green:1.3KΩ White:670Ω
SPL(1W/1M)	90dB
Max. SPL (Rated W/1M)	102dB
Frequency Response (-10dB)	80-20KHz
Finish	Baffle: ABS, White Grille: Steel, White
Speaker Driver	8" x 1
Cutout Size	225 x 225mm
Dimensions	255 x 255 x 80mm
Weight	1.2Kg
Mounting	Flush-mount dog ears


Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn




### Appearance:







# **Direction Diagram:**



## **Frequency Response:**

