T-775W 5" Two Way 30W Wall Mount Speaker

Features

- Built-in 100v/70v transformer
- Wall mount type loudspeaker
- 5" +1.5" two ways speaker unit
- RMS 30W @100V
- Metal grille, ABS enclosure and stainless mounting bracket

Description

The T-775W is a wall mount speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.

The built-in 5"+1.5" two ways speaker driver is designed of wide frequency response 130-15kHz, the RMS 30 watts power outputs are suitable for most of the applications.



The metal grille, ABS enclosure and stainless mounting bracket are of white color. Easy and secure wall mount installation through the supplied mounting bracket.

It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.

Specification

Model	T-775W
Power Taps @100V	30W
Power Taps @70V	15W
Impedance	Black: Com Red: 330Ω
SPL(1W/1M)	91dB±3dB
Max. SPL (Rated W/1M)	106dB
Frequency Response (-10dB)	130-18KHz
Finish	Baffle: ABS, Black/White Grille: Steel, Black/White
Speaker Driver	5" x 1 1.5" x 1
Dimensions	248 x 185 x182mm
Weight	2.3kg
Mounting	With mounting bracket fixed by screw


Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn



Appearance:



Direction Diagram:



Frequency Response:



Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn